



Unit 1, 154-164 Renwick St, Marrickville

# SAFETY DATA SHEET

**NSW 2204 Australia** 

Freecall 1800 64 POOL Phone +61 2 9573 0777 (office hours)

This Revision Dated: September, 2021

Fax +61 2 9573 0566

### **SECTION 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Chemical nature: Aluminium sulfate.

Trade Name: AquaPro Drop out
Product Use: Water treatment reagent.

Creation Date: June, 2016

**This version issued: September, 2021** and is valid for 5 years from this date.

Poisons Information Centre: Phone 13 1126 from anywhere in Australia

# **SECTION 2 - HAZARDS IDENTIFICATION**

### **Statement of Hazardous Nature**

This product is classified as: Hazardous according to the criteria of SWA.

Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

SUSMP Classification: None allocated.

**ADG Classification:** None allocated. Not a Dangerous Good according to Australian Dangerous Goods (ADG)

Code, IATA or IMDG/IMSBC criteria. **UN Number:** None allocated



# GHS Signal word: WARNING.

Serious eye damage/eye irritation Category 2/2A

### **HAZARD STATEMENT:**

H319: Causes serious eye irritation.

### **PREVENTION**

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash contacted areas thoroughly after handling.

P280: Wear protective gloves, protective clothing and eye or face protection.

### **RESPONSE**

P335: Brush off loose particles from skin.

P337: If eye irritation persists: seek medical attention.

P353: Rinse skin or shower with water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

### **STORAGE**

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

# **DISPOSAL**

P501: If product can not be recycled, consider controlled incineration, or contact a specialist waste disposal company (see Section 13 of this SDS).

# **EMERGENCY OVERVIEW**

Physical Description & colour: Colourless solid.

Odour: No odour.

Major Health Hazards: causes serious eye irritation.

Product name: AquaPro Drop out Page 1 of 5



Unit 1, 154-164 Renwick St, Marrickville

# SAFETY DATA SHEET

Freecall 1800 64 POOL Phone +61 2 9573 0777 (office hours)

This Revision Dated: September, 2021

**NSW 2204 Australia** 

Fax +61 2 9573 0566

# SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredients                       | CAS No    | Conc,% | TWA (mg/m³) | STEL (mg/m³) |
|-----------------------------------|-----------|--------|-------------|--------------|
| Aluminium sulfate octadecahydrate | 7784-31-8 | pure * | not set     | not set      |

<sup>\*</sup> Commercially pure. May include small quantities of materials due to manufacturing or reaction processes.

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

### **SECTION 4 - FIRST AID MEASURES**

#### General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Skin Contact: Quickly and gently brush away excess particles. Wash gently and thoroughly with water (use nonabrasive soap if necessary) for 10 minutes or until chemical is removed. If irritation persists, repeat flushing and obtain medical advice.

Eye Contact: Quickly and gently brush particles from eyes. Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed, while holding the eyelid(s) open. Obtain medical advice immediately if irritation occurs. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

# **SECTION 5 - FIRE FIGHTING MEASURES**

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

Fire decomposition products from this product are not expected to be hazardous or harmful.

Extinguishing Media: Not combustible. Use extinguishing media suited to burning materials. **Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade.

Flash point: Does not burn. **Upper Flammability Limit:** Does not burn. **Lower Flammability Limit:** Does not burn.

**Autoignition temperature:** Not applicable - does not burn.

Flammability Class: Does not burn.

### **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Accidental release: Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include cotton, rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable dust mask. Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Product name: AquaPro Drop out Page 2 of 5



Unit 1, 154-164 Renwick St, Marrickville

# SAFETY DATA SHEET

**NSW 2204 Australia** 

Freecall 1800 64 POOL

Phone +61 2 9573 0777 (office hours)

This Revision Dated: September, 2021

Fax +61 2 9573 0566

### **SECTION 7 - HANDLING AND STORAGE**

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Make sure that containers of this product are kept tightly closed. Keep containers dry and away from water. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

### SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

**SWA Exposure Limits** TWA  $(mq/m^3)$ STEL (mg/m<sup>3</sup>)

Exposure limits have not been established by SWA for this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. Ventilation: No special ventilation requirements are normally necessary for this product. However make sure that

the work environment remains clean and that dusts are minimised.

**Eve Protection:** Eye protection such as protective glasses or goggles is recommended when this product is being used.

Skin Protection: You should avoid contact even with mild skin irritants. Therefore you should wear suitable impervious elbow-length gloves and facial protection when handling this product. See below for suitable material

Protective Material Types: We suggest that protective clothing be made from the following materials: cotton, rubber, PVC.

**Respirator:** If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable dust mask.

Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

### **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:**

**Physical Description & colour:** Colourless solid.

**Odour:** No odour. **Boiling Point:** Not available. Freezing/Melting Point: About 86.5°C Volatiles: Nil at 21°C **Vapour Pressure:** No data. Vapour Density: Not applicable.

**Specific Gravity:** 1.69

**Water Solubility:** 350g/L at 25°C

pH: 3.5 (conditions not available)

**Volatility:** No data. **Odour Threshold:** No data. **Evaporation Rate:** Not applicable. Coeff Oil/water distribution:

No data

**Viscosity:** Not applicable.

**Decomposition temp:** 770°C

**Autoignition temp:** Not applicable - does not burn.

# **SECTION 10 - STABILITY AND REACTIVITY**

Product name: AquaPro Drop out Page 3 of 5



Unit 1, 154-164 Renwick St, Marrickville

# SAFETY DATA SHEET

NSW 2204 Australia

Freecall 1800 64 POOL

Phone +61 2 9573 0777 (office hours)

This Revision Dated: September, 2021

Fax +61 2 9573 0566

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have

any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Keep containers tightly closed. Containers should be kept dry.

**Incompatibilities:** zinc, tin, aluminium and their alloys. **Fire Decomposition:** Combustion forms water.

**Polymerisation:** This product will not undergo polymerisation reactions.

### **SECTION 11 - TOXICOLOGICAL INFORMATION**

**Local Effects:** 

**Target Organs:** There is no data to hand indicating any particular target organs.

# **CLASSIFICATION OF HAZARDOUS INGREDIENTS**

### Ingredient

Aluminium sulfate octadecahydrate

Eye irritation – category 2A

LD<sub>50</sub> Oral, Rat >5000mg/kg

### POTENTIAL HEALTH EFFECTS

### Inhalation:

**Short term exposure:** Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Long Term exposure: No data for health effects associated with long term inhalation.

# **Skin Contact:**

**Short term exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. However product is believed to be mildly irritating, but is unlikely to cause anything more than mild transient discomfort.

Long Term exposure: No data for health effects associated with long term skin exposure.

### **Eye Contact:**

**Short term exposure:** This product causes serious eye irritation. Contact with eyes is likely to cause symptoms including reddening, stinging and watering. Brief exposure to small amounts is likely to cause transient discomfort, however prolonged contact or exposures involving large quantities may result in long-term or permanent effects.

Long Term exposure: No data for health effects associated with long term eye exposure.

### Ingestion:

**Short term exposure:** Significant oral exposure is considered to be unlikely. However, this product is believed to be mildly irritating to mucous membranes but is unlikely to cause anything more than mild transient discomfort.

Long Term exposure: No data for health effects associated with long term ingestion.

### **Carcinogen Status:**

**SWA:** No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.

# **SECTION 12 - ECOLOGICAL INFORMATION**

This product is unlikely to adversely effect the environment. Salts, acids and bases are typically diluted and neutralised when released to the environment in small quantities.

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

Product name: AquaPro Drop out Page 4 of 5



Unit 1, 154-164 Renwick St, Marrickville

#### SAFETY DATA SHEET **NSW 2204 Australia**

Freecall 1800 64 POOL Phone +61 2 9573 0777 (office hours)

This Revision Dated: September, 2021

Fax +61 2 9573 0566

Disposal: Containers should be emptied as completely as practical before disposal. If possible, recycle product and containers either in-house or send to recycle company. If this is not practical, send to a commercial waste disposal site.

### **SECTION 14 - TRANSPORT INFORMATION**

UN Number: This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

# **SECTION 15 - REGULATORY INFORMATION**

**AICS:** This product is compliant with NICNAS regulations.

### **SECTION 16 - OTHER INFORMATION**

### See our web site at www.lo-chlor.com

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

Australian Code for the Transport of Dangerous Goods by Road and Rail (7<sup>th</sup> edition) **ADG Code** 

**AICS** Australian Inventory of Chemical Substances Safe Work Australia, formerly ASCC and NOHSC **SWA CAS** number Chemical Abstracts Service Registry Number

**Hazchem Code** Emergency action code of numbers and letters that provide information to emergency

services especially firefighters

International Agency for Research on Cancer **IARC** 

NOS Not otherwise specified

NTP National Toxicology Program (USA)

SUSMP Standard for the Uniform Scheduling of Medicines & Poisons

**UN Number United Nations Number** 

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS. A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (February 2016)

Copyright © Kilford & Kilford Pty Ltd, September, 2021.

http://www.kilford.com.au/ Phone (02)8321 8866

Product name: AquaPro Drop out Page 5 of 5